Chloro Clean

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Revision date: 02/11/2022 Supersedes version of: 04/05/2022 Version: 10.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Chloro Clean
Product code : 786
Type of product : Detergent
Product group : Cleaning product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Cleaning product for sanitary area

See product bulletin for detailed information

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DRD bv Wayenborgstraat 16 2800 Mechelen Belgium

T 016 53 07 96 - F 016 53 61 47

www.drd.be

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--|-----------------------------|---------|
| Australia | Poisons Information Centre | | 13 11 26 | |
| New Zealand | The National Poisons Centre | University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 | 0800 764 766 0800 POISON | |
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER | +44 20 7188 7188 | |
| USA | American Association of Poison Control Centers | | 1-800-222-1222 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1, Sub-Category 1A H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS09

Signal word (CLP)

: Danger

Contains

: sodium hydroxide; caustic soda; Sodium hypochlorite, solution : H290 - May be corrosive to metals.

Hazard statements (CLP)

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P260 - Do not breathe vapours, spray, mist. P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|--------|--|
| Sodium hypochlorite, solution | CAS-No.: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 17-011-00-1 REACH-no: 01-2119488154- 34 | 2 – 10 | Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 |
| sodium hydroxide; caustic soda | CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27 | 1 – 5 | Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 |
| Amines, C12-14-alkyldimethyl, N-oxides | CAS-No.: 68424-94-2 EC-No.: 931-292-6 REACH-no: 01-2119490061- 47 | 1 – 5 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Specific concentration limits: | | | |
|--------------------------------|---|---|--|
| Name | Product identifier | Specific concentration limits | |
| Sodium hypochlorite, solution | CAS-No.: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 17-011-00-1 REACH-no: 01-2119488154- 34 | (5 ≤C < 100) EUH031 | |
| sodium hydroxide; caustic soda | CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27 | (0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314 | |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Seek medical attention

immediately.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Seek medical advice (show the label where possible).

First-aid measures after eye contact : Rinse immediately with plenty of water. Seek medical attention immediately. First-aid measures after ingestion

Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation of vapour can cause breathing difficulties. Cough. Sore throat.

Symptoms/effects after skin contact : Redness, pain. Causes severe skin burns and eye damage. Symptoms/effects after eye contact : Redness, pain. Blurred vision. Tears. Serious damage to eyes.

Symptoms/effects after ingestion Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in

serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical. Foam. Carbon dioxide. Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible.

: Not expected to be a fire/explosion hazard under normal conditions of use. Explosion hazard

Reactivity in case of fire At high temperature may liberate dangerous gases.

: Toxic fumes may be released. Hazardous decomposition products in case of fire

5.3. Advice for firefighters

Precautionary measures fire : Wear fire/flame resistant/retardant clothing. Eliminate all ignition sources if safe to do so.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Exercise caution when fighting any chemical fire. Do not enter fire area without proper

protective equipment, including respiratory protection. Wear fire/flame resistant/retardant

clothing. Heat resistant gloves.

Other information : On exposure to high temperature, may decompose, releasing toxic gases.

02/11/2022 (Revision date) FU - en 3/14

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory

and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and

workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

Protective equipment : Avoid all unnecessary exposure. Wear suitable protective clothing. Ensure adequate

ventilation. Do not breathe vapours.

Emergency procedures : Do not touch or walk on the spilled product. Evacuate area. Do not breathe vapours. Avoid

contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Do not touch spilled material. Evacuate unnecessary personnel. Stop leak if safe to do so.

Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Collect spillage. Use suitable disposal containers.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : When handling product, avoid contact with skin and eyes. Wear personal protective

equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to

prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Handle in accordance with good industrial hygiene and

safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Do not store in corrodable

metal. Keep container closed when not in use. Protect from freezing.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

02/11/2022 (Revision date) EU - en 4/14

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Wear security glasses which protect from splashes. Safety glasses with side shields

| Eye protection | | | |
|--|----------------------|-----------------|----------|
| Туре | Field of application | Characteristics | Standard |
| Safety glasses, Safety glasses with side shields | Droplet | clear, Plastic | EN 166 |

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

| Skin and body protection | | |
|--------------------------|--------------------------|--|
| Туре | Standard | |
| protective clothing | EN14605:2005+A 1:2009 | |

Hand protection:

Wear suitable gloves resistant to chemical penetration

| Hand protection | | | | | |
|-----------------|-------------------------|-------------------|----------------|-------------|--------------|
| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Reusable gloves | Polyvinylchloride (PVC) | 6 (> 480 minutes) | 0.5 | 2 (< 1.5) | EN ISO 374-1 |

8.2.2.3. Respiratory protection

Respiratory protection:

Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Yellow.
Odour : chlorine.

Odour threshold : The product has not been tested Melting point : The product has not been tested

Freezing point : -12 °C

Softening point : The product has not been tested

Boiling point : 100 °C
Flammability : Not applicable
Not flammable

Explosive properties : Product is not explosive.

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : The product is not flammable

Lower explosion limit : The product has not been tested

Upper explosion limit : The product has not been tested

Flash point : > 60 °C

Auto-ignition temperature : The product has not been tested Decomposition temperature : The product has not been tested SADT : The product has not been tested

pH : ≈ 11.5 (1%)

Viscosity, kinematic : The product has not been tested Viscosity, dynamic : The product has not been tested

Solubility : Water: 100 %

Ethanol: The product has not been tested Ether: The product has not been tested Acetone: The product has not been tested Organic solvent:The product has not been tested

Partition coefficient n-octanol/water (Log Kow)

: The product has not been tested Partition coefficient n-octanol/water (Log Pow)

: The product has not been tested Vapour pressure

: The product has not been tested Vapour pressure at 50°C

: The product has not been tested Partitical pressure

: The product has not been tested The product has not been tested Paturation concentration

: The product has not been tested Paturation Product has n

Density : $\approx 1.06 \text{ kg/l}$

Relative density : The product has not been tested Relative vapour density at 20°C : The product has not been tested Relative density of saturated gas/air mixture : The product has not been tested Particle size : The product has not been tested

Particle size distribution : The product has not been tested Particle shape : Not applicable

Particle aspect ratio : Not applicable
Particle aggregation state : The product has not been tested
Particle agglomeration state : The product has not been tested
Particle specific surface area : The product has not been tested

9.2. Other information

Particle dustiness

9.2.1. Information with regard to physical hazard classes

Critical temperature : The product has not been tested

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : The product has not been tested Relative evaporation rate (ether=1) : The product has not been tested Relative evaporation rate (water=1) : The product has not been tested Relative evaporation rate (ethanol=1) : The product has not been tested

The product has not been tested

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Overheating.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Amines, C12-14-alkyldimethyl, N-oxides (68424-94-2) | | |
|---|--|--|
| LD50 oral | 1064 mg/kg | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) | |
| ATE CLP (oral) | 500 mg/kg bodyweight | |
| Skin corrosion/irritation : | Causes severe skin burns. pH: ≈ 11.5 (1%) | |

Serious eye damage/irritation : Causes serious eye damage.

Serious eye damage/irritation : Causes serious eye damage. pH: ≈ 11.5 (1%)

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

| Amines, C12-14-alkyldimethyl, N-oxides (68424-94-2) | | |
|---|--|--|
| NOAEL (animal/male, F1) | 37 – 128 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other: | |
| NOAEL (animal/female, F1) | 47 – 119 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other: | |
| STOT-single exposure : | Not classified | |

STOT-single exposure : Not classified STOT-repeated exposure : Not classified

| Amines, C12-14-alkyldimethyl, N-oxides (68424-94-2) | |
|---|---|
| NOAEL (oral, rat, 90 days) | 40 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other: |

Aspiration hazard : Not classified

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Chlorofresh | |
|----------------------|---------------------------------|
| Viscosity, kinematic | The product has not been tested |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

| sodium hydroxide; caustic soda (1310-73-2) | | |
|---|---|--|
| EC50 - Crustacea [1] 40.4 mg/l Test organisms (species): Ceriodaphnia sp. | | |
| Amines, C12-14-alkyldimethyl, N-oxides (68424-94-2) | | |
| EC50 - Crustacea [1] | 10.4 mg/l Test organisms (species): Daphnia magna | |
| EC50 - Crustacea [2] 3.1 mg/l Test organisms (species): Daphnia magna | | |
| NOEC (chronic) | 0.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |

12.2. Persistence and degradability

| Chlorofresh | | |
|-------------------------------|---|--|
| Persistence and degradability | The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. | |

12.3. Bioaccumulative potential

| Chlorofresh | | |
|--|-------|--|
| Partition coefficient n-octanol/water (Log Pow) The product has not been tested | | |
| Partition coefficient n-octanol/water (Log Kow) The product has not been tested | | |
| Sodium hypochlorite, solution (7681-52-9) | | |
| Partition coefficient n-octanol/water (Log Kow) | -3.42 | |
| Amines, C12-14-alkyldimethyl, N-oxides (68424-94-2) | | |
| Partition coefficient n-octanol/water (Log Kow) 2.7 | | |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection

point.

Waste treatment methods : Dispose of this material and its container at hazardous or special waste collection point.

Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe $\,$

manner in accordance with local/national regulations.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of in accordance with the European Directives on waste and hazardous waste. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection

point. Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads). When totally empty, containers are recyclable like any other packing. Avoid release to the

environment.

Additional information : Waste disposal according to Directive 2008/98/EC, covering waste and dangerous waste.

The material can be re-used or recycled according to the regulations of Guideline EG 94/62.

Act of 13 June 2013 on the management of packaging and packaging waste (J. o L. 2013,

item 888 as amended; consolidated text J. o L. 2020, item 1114).

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 07 06 01* - aqueous washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1791

 UN-No. (IMDG)
 : UN 1791

 UN-No. (IATA)
 : UN 1791

 UN-No. (ADN)
 : UN 1791

 UN-No. (RID)
 : UN 1791

14.2. UN proper shipping name

Proper Shipping Name (ADR) : HYPOCHLORITE SOLUTION Proper Shipping Name (IMDG) : HYPOCHLORITE SOLUTION

Proper Shipping Name (IATA) : Hypochlorite solution

Proper Shipping Name (ADN) : HYPOCHLORITE SOLUTION Proper Shipping Name (RID) : HYPOCHLORITE SOLUTION

Transport document description (ADR)

: UN 1791 HYPOCHLORITE SOLUTION, 8, III, (E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG)

: UN 1791 HYPOCHLORITE SOLUTION, 8, III, MARINE POLLUTANT/ENVIRONMENTALLY

HAZARDOUS

Transport document description (IATA) : UN 1791 Hypochlorite solution, 8, III, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN)

: UN 1791 HYPOCHLORITE SOLUTION, 8, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)

: UN 1791 HYPOCHLORITE SOLUTION, 8, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



02/11/2022 (Revision date) EU - en 9/14

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878


IMDG

Transport hazard class(es) (IMDG) : 8 Danger labels (IMDG) 8



IATA

Transport hazard class(es) (IATA) 8 Danger labels (IATA) 8



ADN

Transport hazard class(es) (ADN) : 8 8 Danger labels (ADN)



RID

Transport hazard class(es) (RID) 8 8 Danger labels (RID)





14.4. Packing group

Packing group (ADR) : III : III Packing group (IMDG) Packing group (IATA) : 111 : III Packing group (ADN) Packing group (RID) : 111

14.5. Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : Clean up even minor leaks or spills, if possible, without unnecessary risk

14.6. Special precautions for user

Special transport precautions : Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in

the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

Overland transport

Classification code (ADR) : C9 Special provisions (ADR) : 521 Limited quantities (ADR) : 51 : E1 Excepted quantities (ADR)

Packing instructions (ADR) : P001, IBC02, LP01, R001

: B5 Special packing provisions (ADR) Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T4

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Portable tank and bulk container special provisions : TP2, TP24

(ADR)

Tank code (ADR) : L4BV(+)
Tank special provisions (ADR) : TE11
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Hazard identification number (Kemler No.) : 80

Orange plates :

80 1791

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 223 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 : TP2, TP24 Tank special provisions (IMDG) EmS-No. (Fire) : F-A : S-B EmS-No. (Spillage) : B Stowage category (IMDG) Segregation (IMDG) : SG20

Properties and observations (IMDG) : Liquid with chlorine odour. In contact with acids, evolves very irritating and corrosive gases.

Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 : 5L PCA max net quantity (IATA) CAO packing instructions (IATA) : 856 : 60L CAO max net quantity (IATA) Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C9
Special provisions (ADN) : 521
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C9
Special provisions (RID) : 521
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC02, LP01, R001

Special packing provisions (RID) : B5

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP2, TP24

(RID)

Tank codes for RID tanks (RID) : L4BV(+)
Special provisions for RID tanks (RID) : TE11, TU42

Transport category (RID) : 3
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Other information, restriction and prohibition regulations

: Ensure all national/local regulations are observed. PIC Regulation (649/2012) - Export and Import of hazardous chemicals. Listed on the PIC list (Regulation EU 649/2012): {0}.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| CAS-No. | Chemical Abstract Service number | |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EN | European Standard | |
| EC50 | Median effective concentration | |
| ED | Endocrine disrupting properties | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| IOELV | Indicative Occupational Exposure Limit Value | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| LOAEL | Lowest Observed Adverse Effect Level | |
| N.O.S. | Not Otherwise Specified | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| TLM | Median Tolerance Limit | |
| TRGS | Technical Rules for Hazardous Substances | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| VOC | Volatile Organic Compounds | |
| WGK | Water Hazard Class | |
| vPvB | Very Persistent and Very Bioaccumulative | |

Data sources

Other information

- : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008. The skin and eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| EUH031 | Contact with acids liberates toxic gas. |

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| H290 | May be corrosive to metals. | |
| H302 | Harmful if swallowed. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| Met. Corr. 1 | Corrosive to metals, Category 1 | |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A | |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |

SDSCLP3

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.