

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****\* 1.1 Product identifier****\* Trade name: Detar Extra BC****\* UFI:** Q8J2-X09Q-F00P-7X4N**\* 1.2 Relevant identified uses of the substance or mixture and uses advised against****\* Technical function** Cleaning agent**\* Application of the substance / the mixture**

Alkaline cleaner/ detergent

Degreaser

**\* 1.3 Details of the supplier of the safety data sheet****\* Manufacturer/Supplier:**

DRD bv

Wayenborgstraat 16

2800 Mechelen - België

Tel: +32 16 53 07 96 - Fax: +32 16 53 61 47

info@drd.be - www.drd.be

**\* Further information obtainable from:** + 32 16 53 07 96**\* 1.4 Emergency telephone number:**

National Poison Centre

België (Belgique) Centre Antipoisons-Antigifcentrum 070 245 245

Česká republika (Czech Republic) Toxikologické informační středisko 0 22 49 192 93

Danmark (Denmark) Poison Information Center 0 82 12 12 12

Deutschland (Germany) Clinical Toxicology and Berlin Poison Information Centre 0 30 192 40

España (Spain) Servicio de Información Toxicológica 091 562 04 20

France Centre antipoison et de toxicovigilance de Paris 01 40 05 48 48

Ireland Poisons Information Centre of Ireland 01 809 2166

Italia (Italy) Centro Antiveleni Rome 06 499 70 698

Lietuvia (Lithuania) Environmental Protection Agency 370 70662008

Luxembourg Centre Antipoison 8002 5500

Magyarország (Hungary) Health Toxicological Information Service 080 20 11 99

Nederland Nationaal Vergiften Informatie Centrum 088 755 8000 (Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen)

Norge (Norway) Department for Poisons Information 022 59 13 00

Österreich (Austria) Vergiftungsinformationszentrale 01 406 43 43

Polska (Poland) Centrum Toksykologii 022 619 66 54

Portugal Centro de Informação Antivenenos 800 250 250

România (Romania) Spitalul de Urgenta Floreasca 021 230 8000

Slovenská republika (Slovakia) National Toxicological Information Center 02 54 774 166

Schweiz (Swiss) Toxicological Information Centre 0 44 251 51 51

Sverige (Sweden) Giftinformationscentralen (Swedish Poisons Information Centre) 08 33 12 31

Suomi (Finland) Nødnummer Myrkytystietokeskus 09-471977

United Kingdom National Poison Centre – Poison Information Service 111

**SECTION 2: Hazards identification****\* 2.1 Classification of the substance or mixture****\* Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

EU

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 1)

Skin Sens. 1 H317 May cause an allergic skin reaction.  
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

## \* 2.2 Label elements

## \* Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

## \* Hazard pictograms



GHS05 GHS07

## \* Signal word Danger

## \* Hazard-determining components of labelling:

POTASSIUM HYDROXIDE  
 DISODIUM COCOAMPHODIPROPIONATE  
 d-limonene

## \* Hazard statements

H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.  
 H412 Harmful to aquatic life with long lasting effects.

## \* Precautionary statements

P261 Avoid breathing mist/vapours/spray.  
 P280 Wear protective gloves / eye protection / face protection.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## \* 2.3 Other hazards

## \* Results of PBT and vPvB assessment

\* PBT: Not applicable.

\* vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

## \* 3.2 Mixtures

\* Description: Mixture of substances listed below with nonhazardous additions.

## \* Dangerous components:

CAS: 68002-97-1 Polymer Reg.nr.: Exempted [4]	LAURETH-10 ☞ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 60 % Eye Irrit. 2; H319: 1 % ≤ C < 60 %	5-15%
---	--	-------

(Contd. on page 3)

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 2)

CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33	POTASSIUM HYDROXIDE Met. Corr. 1, H290; Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % Met. Corr. 1; H290: C ≥ 2.5 %	2-5%
EC number: 946-533-0 Reg.nr.: 01-2120750377-50	DISODIUM COCOAMPHODIPROPIONATE Eye Irrit. 2, H319; Skin Sens. 1B, H317 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 1 %	1-5%
CAS: 51981-21-6 EINECS: 257-573-7 Reg.nr.: 01-2119493601-38	TETRASODIUM GLUTAMATE DIACETATE Met. Corr. 1, H290 Specific concentration limit: Met. Corr. 1; H290: C ≥ 20 %	1-5%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36	2-butoxyethanol Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%
CAS: 5989-27-5 EINECS: 227-813-5 Index number: 601-096-00-2 Reg.nr.: 01-2119529223-47	d-limonene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	<1%

## \* Additional information:

For the wording of the listed risk phrases refer to section 16. Product compositional ranges are shown for health, safety and environmental use and are not intended to form any part of a specification.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

## SECTION 4: First aid measures

## \* 4.1 Description of first aid measures

\* **General information:** Immediately remove any clothing soiled by the product.

\* **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

\* **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

\* **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

\* **After swallowing:**

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

## \* 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

EU

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

**Trade name: Detar Extra BC**

(Contd. of page 3)

**\* 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****\* 5.1 Extinguishing media****\* Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.

**\* 5.2 Special hazards arising from the substance or mixture** No further relevant information available.**\* 5.3 Advice for firefighters****\* Protective equipment:** No special measures required.**SECTION 6: Accidental release measures****\* 6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

**\* 6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.

**\* 6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.

**\* 6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage****\* 7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.  
When diluting always pour product into water and not vice versa.

**\* Information about fire - and explosion protection:** No special measures required.**\* 7.2 Conditions for safe storage, including any incompatibilities****\* Storage:****\* Requirements to be met by storerooms and receptacles:** No special requirements.**\* Information about storage in one common storage facility:** Do not store together with acids.**\* Further information about storage conditions:**

Protect from frost.  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.

**\* Storage class:** 8 B

(Contd. on page 5)

EU

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 4)

\* 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

## \* 8.1 Control parameters

## \* Ingredients with limit values that require monitoring at the workplace:

**111-76-2 2-butoxyethanol**

IOELV	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 98 mg/m <sup>3</sup> , 20 ppm
	Skin

## \* DNELs

**1310-58-3 POTASSIUM HYDROXIDE**

Inhalative	Long-term exposure - local effects	1 mg/m <sup>3</sup> (Consumer)
		1 mg/m <sup>3</sup> (Worker)

\* **Additional information:** The lists valid during the making were used as basis.

## \* 8.2 Exposure controls

\* **Appropriate engineering controls** No further data; see section 7.\* **Individual protection measures, such as personal protective equipment**\* **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes.  
 Avoid contact with the eyes and skin.

\* **Respiratory protection:** Not necessary if room is well-ventilated.\* **Hand protection**

Preventive skin protection by use of gloves is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

\* **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Suitability (penetration time, material thickness) for a specific workplace should be discussed with the manufacturer of the protective gloves.

\* **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

\* **For the permanent contact gloves made of the following materials are suitable:**

Nitrile rubber: Breakthrough time >480 min - Recommended thickness: 0.35 mm  
 Butyl rubber: Penetration time >480 min - Recommended thickness: 0,5 mm

(Contd. on page 6)

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 5)

\* For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber. Penetration time 30 min - Recommended thickness: 0,13 mm

\* As protection from splashes gloves made of the following materials are suitable:

PVC (EN374)

Nitrile rubber: 0.11 mm (EN374)

\* Eye/face protection



Tightly sealed goggles

\* Body protection:



Alkaline resistant protective clothing

## SECTION 9: Physical and chemical properties

\* 9.1 Information on basic physical and chemical properties

\* General Information

\* Physical state

Fluid

\* Colour:

Colourless/Light yellow

\* Odour:

Citrus

\* Odour threshold:

Not determined.

\* Melting point/freezing point:

-3 °C

\* Boiling point or initial boiling point and boiling range

>100 °C

\* Flammability

Not applicable.

\* Lower and upper explosion limit

\* Lower:

Not determined.

\* Upper:

Not determined.

\* Flash point (CCMP):

Not applicable.

\* Decomposition temperature:

Not determined.

\* pH at 20 °C

13.6

\* Viscosity:

\* Kinematic viscosity

Not determined.

\* Dynamic at 20 °C:

10 mPas

\* Solubility

\* water:

Fully miscible.

\* Partition coefficient n-octanol/water (log value)

Not determined.

\* Vapour pressure at 20 °C:

23 hPa

\* Density and/or relative density

\* Density at 20 °C:

1.062 g/cm<sup>3</sup>

\* Relative density

Not determined.

\* Vapour density

Not determined.

(Contd. on page 7)

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 6)

**\* 9.2 Other information**

Product compositional ranges are shown for health, safety and environmental use and are not intended to form any part of a specification.

**\* Appearance:****\* Form:**

Liquid

**\* Important information on protection of health and environment, and on safety.****\* Ignition temperature:**

Product is not selfigniting.

**\* Explosive properties:**

Product does not present an explosion hazard.

**\* Solvent separation test:****\* VOC (EC)**

2.50 %

**\* Change in condition****\* Evaporation rate**

Not determined.

**\* Information with regard to physical hazard classes****\* Explosives**

Void

**\* Flammable gases**

Void

**\* Aerosols**

Void

**\* Oxidising gases**

Void

**\* Gases under pressure**

Void

**\* Flammable liquids**

Void

**\* Flammable solids**

Void

**\* Self-reactive substances and mixtures**

Void

**\* Pyrophoric liquids**

Void

**\* Pyrophoric solids**

Void

**\* Self-heating substances and mixtures**

Void

**\* Substances and mixtures, which emit flammable gases in contact with water**

Void

**\* Oxidising liquids**

Void

**\* Oxidising solids**

Void

**\* Organic peroxides**

Void

**\* Corrosive to metals**

May be corrosive to metals.

**\* Desensitised explosives**

Void

**SECTION 10: Stability and reactivity****\* 10.1 Reactivity** No further relevant information available.**\* 10.2 Chemical stability****\* Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**\* 10.3 Possibility of hazardous reactions**

Reacts with various metals.

Corrosive action on metals.

Reacts with strong acids.

Reacts with oxidising agents.

**\* 10.4 Conditions to avoid** No further relevant information available.**\* 10.5 Incompatible materials:** Don't mix with acids.

(Contd. on page 8)

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 7)

\* **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

\* **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**\* **Acute toxicity** Based on available data, the classification criteria are not met.\* **LD/LC50 values relevant for classification:**

### 1310-58-3 POTASSIUM HYDROXIDE

Oral | LD50 | 333 mg/kg bw (Rat)

\* **Skin corrosion/irritation** Causes severe skin burns and eye damage.\* **Serious eye damage/irritation** Causes serious eye damage.\* **Respiratory or skin sensitisation** May cause an allergic skin reaction.\* **Germ cell mutagenicity** Based on available data, the classification criteria are not met.\* **Carcinogenicity** Based on available data, the classification criteria are not met.\* **Reproductive toxicity** Based on available data, the classification criteria are not met.\* **STOT-single exposure** Based on available data, the classification criteria are not met.\* **STOT-repeated exposure** Based on available data, the classification criteria are not met.\* **Aspiration hazard** Based on available data, the classification criteria are not met.\* **11.2 Information on other hazards**\* **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

\* **12.1 Toxicity**\* **Aquatic toxicity:**

### 1310-58-3 POTASSIUM HYDROXIDE

LC50/96h | 80 mg/l (Ide (Leuciscus Idus))

\* **12.2 Persistence and degradability**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

\* **12.3 Bioaccumulative potential** No further relevant information available.\* **12.4 Mobility in soil** No further relevant information available.\* **12.5 Results of PBT and vPvB assessment**\* **PBT:** Not applicable.\* **vPvB:** Not applicable.\* **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

\* **12.7 Other adverse effects**\* **Remark:** Harmful to fish\* **Additional ecological information:**\* **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 9)



## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 8)

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

## SECTION 13: Disposal considerations

### \* 13.1 Waste treatment methods

#### \* Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### \* European waste catalogue

The EC waste catalog number (EAC) can only be determined after the type of use by the end-user is known for this product.

#### \* Uncleaned packaging:

\* **Recommendation:** Disposal must be made according to official regulations.

\* **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

### \* 14.1 UN number or ID number

\* **ADR/RID/ADN, IMDG, IATA** UN1719

### \* 14.2 UN proper shipping name

\* **ADR/RID/ADN** 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE)  
 \* **IMDG, IATA** CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE)

### \* 14.3 Transport hazard class(es)

#### \* ADR/RID/ADN, IMDG, IATA



\* **Class** 8 Corrosive substances.

\* **Label** 8

\* **ADN/R Class:** 8 Corrosive substances.

### \* 14.4 Packing group

\* **ADR/RID/ADN, IMDG, IATA** II

### \* 14.5 Environmental hazards:

Not applicable.

### \* 14.6 Special precautions for user

Warning: Corrosive substances.

\* **Hazard identification number (Kemler code):** 80

\* **EMS Number:** F-A,S-B

(Contd. on page 10)

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 9)

* Segregation groups	(SGG18) Alkalis
* Stowage Category	A
* Segregation Code	SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids

* 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
--	-----------------

## \* Transport/Additional information:

* ADR/RID/ADN	
* Limited quantities (LQ)	1L
* Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
* Transport category	2
* Tunnel restriction code	E

* IMDG	
* Limited quantities (LQ)	1L
* Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

* UN "Model Regulation":	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE), 8, II
--------------------------	---

## SECTION 15: Regulatory information

## \* 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## \* Directive 2012/18/EU

\* Named dangerous substances - ANNEX I None of the ingredients is listed.

\* REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

## \* DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

## \* REGULATION (EU) 2019/1148

## \* Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

## \* Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

## \* Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

## \* Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 11)

## Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Detar Extra BC

(Contd. of page 10)

**\* Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants	≥5 - <15%
amphoteric surfactants, phosphonates	<5%
LIMONENE	

**\* 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is exclusively meant for industrial/professional use.

**\* Relevant phrases**

H226 Flammable liquid and vapour.  
 H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H331 Toxic if inhaled.  
 H400 Very toxic to aquatic life.  
 H412 Harmful to aquatic life with long lasting effects.

**\* Department issuing SDS:** Product safety department.**\* Date of previous version:** 23.02.2024**\* Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 DNEL: Derived No-Effect Level (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 3: Flammable liquids – Category 3  
 Met. Corr. 1: Corrosive to metals – Category 1  
 Acute Tox. 4: Acute toxicity – Category 4  
 Acute Tox. 3: Acute toxicity – Category 3  
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1  
 Skin Sens. 1B: Skin sensitisation – Category 1B  
 Asp. Tox. 1: Aspiration hazard – Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. on page 12)

Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

**Trade name: Detar Extra BC**

(Contd. of page 11)

**\* Sources**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No.1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet.

**\*\* Data compared to the previous version altered.**

EU