

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)  
Revision date: 29/03/2022 Supersedes version of: 24/01/2020 Version: 4.01

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Dischtral Liquid C  
Product code : 516  
Type of product : Detergent  
Product group : Cleaning product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : See product bulletin for detailed information

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

DRD bvba  
Oud\_Strijdersstraat 14A  
3120 Tremelo  
Belgium  
T 016 53 07 96 - F 016 53 61 47  
[www.drd.be](http://www.drd.be)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	Poisons Information Centre		13 11 26	
New Zealand	The National Poisons Centre	University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin	0800 764 766 0800 POISON	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
USA	American Association of Poison Control Centers		1-800-222-1222	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1A H314  
Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger

Contains : Potassium hydroxide, sodium hydroxide; caustic soda

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe gas, vapours, fume, spray.  
P280 - Wear Gloves, protective clothing, Safety glasses.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 19-002-00-8 REACH-no: 01-2119487136-33	5 – 15	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	5 – 15	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 19-002-00-8 REACH-no: 01-2119487136-33	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Seek medical attention immediately.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Seek medical advice (show the label where possible).
First-aid measures after eye contact	: Rinse immediately with plenty of water. Seek medical attention immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Inhalation of vapour can cause breathing difficulties. Cough. Sore throat.
Symptoms/effects after skin contact	: Redness, pain. Causes severe skin burns and eye damage.
Symptoms/effects after eye contact	: Redness, pain. Blurred vision. Tears. Serious damage to eyes.
Symptoms/effects after ingestion	: Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not combustible.
Explosion hazard	: Not expected to be a fire/explosion hazard under normal conditions of use.
Reactivity in case of fire	: At high temperature may liberate dangerous gases.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Corrosive vapours.

### 5.3. Advice for firefighters

Precautionary measures fire	: Wear fire/flare resistant/retardant clothing. Eliminate all ignition sources if safe to do so.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flare resistant/retardant clothing. Heat resistant gloves.
Other information	: On exposure to high temperature, may decompose, releasing toxic gases.

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

##### 6.1.1. For non-emergency personnel

Protective equipment : Avoid all unnecessary exposure. Wear suitable protective clothing. Ensure adequate ventilation. Do not breathe vapours.

Emergency procedures : Do not touch or walk on the spilled product. Evacuate area. Do not breathe vapours. Avoid contact with skin, eyes and clothing.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Do not touch spilled material. Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Collect spillage. Use suitable disposal containers.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : When handling product, avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Do not store in corrodable metal. Keep container closed when not in use. Protect from freezing.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

Potassium hydroxide (1310-58-3)	
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m <sup>3</sup>

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### Potassium hydroxide (1310-58-3)

Regulatory reference	EH40/2005 (Third edition, 2018). HSE
----------------------	--------------------------------------

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

### Potassium hydroxide (1310-58-3)

#### DNEL/DMEL (Workers)

Long-term - systemic effects, inhalation	1 mg/m <sup>3</sup>
--	---------------------

Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
---------------------------------------	---------------------

#### DNEL/DMEL (General population)

Long-term - systemic effects, inhalation	1 mg/m <sup>3</sup>
--	---------------------

Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
---------------------------------------	---------------------

### sodium hydroxide; caustic soda (1310-73-2)

#### DNEL/DMEL (Workers)

Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
---------------------------------------	---------------------

#### DNEL/DMEL (General population)

Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
---------------------------------------	---------------------

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Wear security glasses which protect from splashes. Safety glasses with side shields

### Eye protection

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear, Plastic	EN 166

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin and body protection	
Type	Standard
protective clothing	EN14605:2005+A1:2009

### Hand protection:

Wear suitable gloves resistant to chemical penetration

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	2 (< 1.5)	EN ISO 374

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

Respiratory protection			
Device	Filter type	Condition	Standard
Half-mask	Type P2	Protection for Liquid particles, Vapour protection, Long term exposure	EN 143

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: clear. light yellow.
Appearance	: clear.
Odour	: Not available
Odour threshold	: The product has not been tested
Melting point	: The product has not been tested
Freezing point	: The product has not been tested
Boiling point	: The product has not been tested
Flammability	: Not applicable Not flammable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: The product is not flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 60 °C
Auto-ignition temperature	: The product has not been tested
Decomposition temperature	: The product has not been tested
pH	: ≈ 12.5 (1%)
Viscosity, kinematic	: Not available

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Solubility	: Water: 100 % Ethanol: The product has not been tested Ether: The product has not been tested Acetone: The product has not been tested Organic solvent: The product has not been tested
Partition coefficient n-octanol/water (Log Kow)	: The product has not been tested
Partition coefficient n-octanol/water (Log Pow)	: The product has not been tested
Vapour pressure	: The product has not been tested
Vapour pressure at 50 °C	: The product has not been tested
Critical pressure	: The product has not been tested
Density	: ≈ 1.285 kg/l
Relative density	: The product has not been tested
Relative vapour density at 20 °C	: The product has not been tested
Relative density of saturated gas/air mixture	: The product has not been tested
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Critical temperature : The product has not been tested

#### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : The product has not been tested

Relative evaporation rate (ether=1) : The product has not been tested

Relative evaporation rate (water=1) : The product has not been tested

Relative evaporation rate (ethanol=1) : The product has not been tested

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

aluminium. Strong acids.

### 10.6. Hazardous decomposition products

Thermal decomposition generates toxic vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

### Dischtral Liquid C

LD50 oral rat	> 2000 mg/kg
---------------	--------------

### Potassium hydroxide (1310-58-3)

LD50 oral	333 mg/kg
-----------	-----------

Skin corrosion/irritation : Causes severe skin burns.  
pH:  $\approx$  12.5 (1%)  
Serious eye damage/irritation : Causes serious eye damage.  
pH:  $\approx$  12.5 (1%)  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

### sodium hydroxide; caustic soda (1310-73-2)

EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.
----------------------	--

### 12.2. Persistence and degradability

#### Dischtral Liquid C

Persistence and degradability	The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
-------------------------------	---

### 12.3. Bioaccumulative potential

#### Dischtral Liquid C

Partition coefficient n-octanol/water (Log Pow)	The product has not been tested
Partition coefficient n-octanol/water (Log Kow)	The product has not been tested

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available



# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Dispose in a safe manner in accordance with local/national regulations.
Waste treatment methods	: Dispose of this material and its container at hazardous or special waste collection point. Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: When totally empty, containers are recyclable like any other packing. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
European List of Waste (LoW) code	: 07 06 01* - aqueous washing liquids and mother liquors

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR)	: UN 3266
UN-No. (IMDG)	: UN 3266
UN-No. (IATA)	: UN 3266
UN-No. (ADN)	: UN 3266
UN-No. (RID)	: UN 3266

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda)
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda)
Proper Shipping Name (IATA)	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda)
Proper Shipping Name (ADN)	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda)
Proper Shipping Name (RID)	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda)
Transport document description (ADR)	: UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda), 8, II, (E)
Transport document description (IMDG)	: UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda), 8, II
Transport document description (IATA)	: UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda), 8, II
Transport document description (ADN)	: UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda), 8, II
Transport document description (RID)	: UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; sodium hydroxide; caustic soda), 8, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### IMDG

Transport hazard class(es) (IMDG) : 8  
Danger labels (IMDG) : 8



### IATA

Transport hazard class(es) (IATA) : 8  
Danger labels (IATA) : 8



### ADN

Transport hazard class(es) (ADN) : 8  
Danger labels (ADN) : 8



### RID

Transport hazard class(es) (RID) : 8  
Danger labels (RID) : 8



## 14.4. Packing group

Packing group (ADR) : II  
Packing group (IMDG) : II  
Packing group (IATA) : II  
Packing group (ADN) : II  
Packing group (RID) : II

## 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : Clean up even minor leaks or spills, if possible, without unnecessary risk

## 14.6. Special precautions for user

Special transport precautions : Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

### Overland transport

Classification code (ADR) : C5  
Special provisions (ADR) : 274  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001, IBC02  
Mixed packing provisions (ADR) : MP15  
Portable tank and bulk container instructions (ADR) : T11

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Portable tank and bulk container special provisions (ADR) : TP2, TP27


Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2X

APP code : B

### Transport by sea

Special provisions (IMDG) : 274

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T11

Tank special provisions (IMDG) : TP2, TP27

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B

Stowage category (IMDG) : B

Stowage and handling (IMDG) : SW2

Segregation (IMDG) : SG35

Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

MFAG-No : 154

### Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y840

PCA limited quantity max net quantity (IATA) : 0.5L

PCA packing instructions (IATA) : 851

PCA max net quantity (IATA) : 1L

CAO packing instructions (IATA) : 855

CAO max net quantity (IATA) : 30L

Special provisions (IATA) : A3, A803

ERG code (IATA) : 8L

### Inland waterway transport

Classification code (ADN) : C5

Special provisions (ADN) : 274

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : C5

Special provisions (RID) : 274

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

Portable tank and bulk container instructions (RID) : T11

Portable tank and bulk container special provisions (RID) : TP2, TP27

Tank codes for RID tanks (RID) : L4BN

Special provisions for RID tanks (RID) : TU42

Transport category (RID) : 2

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Colis express (express parcels) (RID) : CE6  
Hazard identification number (RID) : 80

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Other information : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

# Dischtral Liquid C

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

### Full text of H- and EUH-statements:

Skin Irrit. 2

Skin corrosion/irritation, Category 2

SDSCLP3

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.