according to regulation 1907/2006 (REACH) + 2020/878 (EU)


Printing date 23.02.2024

PROFESSIONAL

**HYGIENE** 

Version number 1

Revision: 23.02.2024



Met. Corr.1 H	1290	May be corrosive to metals.	
Acute Tox. 4 H	1302	Harmful if swallowed.	
Skin Irrit. 2 H	1315	Causes skin irritation.	
Eye Dam. 1 H	1318	Causes serious eye damage.	
STOT SE 3 H	1335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.	
			(Contd. on page 2)

FII

PROFESSIONAL HYGIENE


Printing date 23.02.2024

Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU) Version number 1

Revision: 23.02.2024

Trade name: Oxy Wash Liquid



\* vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

\* 3.2 Mixtures

\* Description: Mixture of substances listed below with nonhazardous additions.

\* Dangerous components:

CAS: 7722-84-1 HYDROGEN PEROXIDE 30	0-50%
EINECS: 231-765-0 (2) Ox. Liq. 1, H271; (3) Met. Corr. 1, H290; Skin Corr. 1A, H314;	
Index number: 008-003-00-9 🔥 Acute Tox. 4, H302; Acute Tox. 4, H332	
Reg.nr.: 01-2119485845-22 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 70 %	
Skin Corr. 1B; H314: 50 % ≤ C < 70 %	
Skin Irrit. 2; H315: 35 % ≤ C < 50 %	
Eye Dam. 1; H318: C ≥ 8 %	
Eye Irrit. 2; H319: 5 % ≤ C < 8 %	
STOT SE 3; C ≥ 35 %	
Ox. Liq. 1; H271: C ≥ 70 %	
Ox. Liq. 2; H272: 50 % ≤ C < 70 %	
Met. Corr.1; H290: C ≥ 25 %	
(Contd. on	n page 3)
	EU -

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Oxy Wash Liquid

**HYGIENE** 

(Contd. of page 2)

#### \* Additional information:

For the wording of the listed risk phrases refer to section 16. Product compositional ranges are shown for health, safety and environmental use and are not intended to form any part of a specification.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

## **SECTION 4: First aid measures**

- \* 4.1 Description of first aid measures
- \* General information: Immediately remove any clothing soiled by the product.
- \* After inhalation: Supply fresh air; consult doctor in case of complaints.
- \* After skin contact: Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.
- \* After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- \* After swallowing: Call for a doctor immediately.
- \* **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- \* **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

#### \* 5.1 Extinguishing media

\* Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- \* 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- \* 5.3 Advice for firefighters
- \* Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

- \* 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- \* 6.2 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

\* 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

#### Version number 1

Revision: 23.02.2024

Trade name: Oxy Wash Liquid

**HYGIENE** 

#### \*6.4 Reference to other sections

PROFESSIONAL

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### \*7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. When diluting always pour product into water and not vice versa.

Prevent formation of aerosols.

Use only in well ventilated areas.

\* Information about fire - and explosion protection: No special measures required.

## \*7.2 Conditions for safe storage, including any incompatibilities

#### \* Storage:

- \* Requirements to be met by storerooms and receptacles: No special requirements.
- \* Information about storage in one common storage facility: Not required.
- \* Further information about storage conditions: Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- \* Storage class: 5.1 B
- \*7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### \*8.1 Control parameters

\* Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

\* DNELs

## 7722-84-1 HYDROGEN PEROXIDE

Inhalative	Long-term exposure - local effects	0.21 mg/m <sup>3</sup> (Consumer)
		1.4 mg/m <sup>3</sup> (Worker)
	Long-term exposure - local effects Acute/short term exposure - local effects	1.93 mg/m <sup>3</sup> (Consumer)
		3 mg/m³ (Worker)

## \* PNECs

7722-84-1 HYDROGEN PEROXIDE		
Freshwater	0.0126 mg/l	
Marinewater	0.0126 mg/l	
Intermittent releases	0.0138 mg/l	
Sewage treatment plant	466 mg/l	
Sediment (freshwater)	0.047 mg/kg dw	
Sediment (marinewater)	0.047 mg/kg dw	
Soil	0.0019 mg/kg dw	
	(Contd. on page 5)	

# (Contd. of page 3)

DRD PROFESSIONAL HYGIENE

Printing date 23.02.2024

#### AL Safety data sheet according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Version number 1

Revision: 23.02.2024

## Trade name: Oxy Wash Liquid

- (Contd. of page 4) \* Additional information: The lists valid during the making were used as basis. \*8.2 Exposure controls \* Appropriate engineering controls No further data; see section 7. \* Individual protection measures, such as personal protective equipment \* General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. \* Respiratory protection: During operations which cause the formation of vapor / mist / aerosol, use a half face mask according NEN140, or a full face mask according EN 136:1998/C1:2000. \* Recommended filter device for short term use: ABEK/P3 \* Hand protection Preventive skin protection by use of gloves is recommended. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Suitability (penetration time, material thickness) for a specific workplace should be discussed with the manufacturer of the protective gloves. \* Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. \* For the permanent contact gloves made of the following materials are suitable: Butyl rubber: Penetration time >480 min - Recommended thickness: 0,4 mm Nitrile rubber: Penetration time >480 min - Recommended thickness: 0,35 mm PVC: Penetration time >480 min - Recommended thickness: 0,5 mm \* For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Nitrile rubber. Penetration time 30 min - Recommended thickness: 0,13 mm \* As protection from splashes gloves made of the following materials are suitable: **PVC** (EN374) Nitrile rubber: 0.11 mm (EN374)
  - \* Eye/face protection



Tightly sealed goggles

(Contd. on page 6)

PROFESSIONAL Safety data sheet ACCORDING to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

(Contd. of page 5)

# Trade name: Oxy Wash Liquid

**HYGIENE** 

\* Body protection:



Use protective suit.

# **SECTION 9: Physical and chemical properties**

*9.1 Information on basic physical and chemical properties		
* General Information		
* Physical state	Fluid	
* Colour:	Colourless	
* Odour:	Characteristic	
* Odour threshold:	Not determined.	
* Melting point/freezing point:	Undetermined.	
* Boiling point or initial boiling point and boiling		
range	100 °C	
* Flammability	Not applicable.	
* Lower and upper explosion limit		
* Lower:	Not determined.	
* Upper:	Not determined.	
* Flash point (CCMP):	Not applicable.	
* Decomposition temperature:	Not determined.	
* pH at 20 °C	2.5	
* Viscosity:		
* Kinematic viscosity	Not determined.	
* Dynamic at 20 °C:	10 mPas	
* Solubility		
* water:	Fully miscible.	
* Partition coefficient n-octanol/water (log value)	Not determined.	
* Vapour pressure at 20 °C:	23 hPa	
* Density and/or relative density		
* Density at 20 °C:	1.1 g/cm <sup>3</sup>	
* Relative density	Not determined.	
* Vapour density	Not determined.	
* 9.2 Other information	Product compositional ranges are shown for health,	
	safety and environmental use and are not intended to	
	form any part of a specification.	
* Appearance:		
* Form:	Liquid	
* Important information on protection of health and		
environment, and on safety.		
* Ignition temperature:	Product is not selfigniting.	
* Explosive properties:	Product does not present an explosion hazard.	
* Change in condition	· · · ·	
* Evaporation rate	Not determined.	
	(Contd. on page 7)	
	EU	

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

## Trade name: Oxy Wash Liquid

**HYGIENE** 

	(Contd. of page 6)
* Information with regard to physical hazard	
classes	
* Explosives	Void
* Flammable gases	Void
* Aerosols	Void
* Oxidising gases	Void
* Gases under pressure	Void
* Flammable liquids	Void
* Flammable solids	Void
* Self-reactive substances and mixtures	Void
* Pyrophoric liquids	Void
* Pyrophoric solids	Void
* Self-heating substances and mixtures	Void
* Substances and mixtures, which emit flammable	
gases in contact with water	Void
* Oxidising liquids	Void
* Oxidising solids	Void
* Organic peroxides	Void
* Corrosive to metals	May be corrosive to metals.
* Desensitised explosives	Void

# **SECTION 10: Stability and reactivity**

\* **10.1 Reactivity** No further relevant information available.

\* 10.2 Chemical stability

\* Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- \* **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- \* **10.4 Conditions to avoid** No further relevant information available.
- \* 10.5 Incompatible materials: No further relevant information available.

\* 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

\*11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

\* Acute toxicity Harmful if swallowed.

\* LD/LC50 values relevant for classification:

## 7722-84-1 HYDROGEN PEROXIDE

Oral	LD50	2,000 mg/kg bw (rabbit)
Dermal	LD50	4,060 mg/kg bw (Rat)
Inhalative	LC50/4h	2,000 mg/l (Rat)

\* Skin corrosion/irritation Causes skin irritation.

\* Serious eye damage/irritation Causes serious eye damage.

\* Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

\* Germ cell mutagenicity Based on available data, the classification criteria are not met.

\* Carcinogenicity Based on available data, the classification criteria are not met.

\* **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Oxy Wash Liquid

(Contd. of page 7)

- \* STOT-single exposure May cause respiratory irritation. May cause drowsiness or dizziness.
- \* STOT-repeated exposure Based on available data, the classification criteria are not met.
- \* Aspiration hazard Based on available data, the classification criteria are not met.
- \* 11.2 Information on other hazards
- \* Endocrine disrupting properties
- None of the ingredients is listed.

# **SECTION 12: Ecological information**

\* 12.1 Toxicity

\* Aquatic toxicity:

#### 7722-84-1 HYDROGEN PEROXIDE

7.7 mg/kg bw (Daphnia Magna) EC50

LC50/96h 35 mg/l (Leuciscus Idus)

- \* 12.2 Persistence and degradability No further relevant information available.
- \* 12.3 Bioaccumulative potential No further relevant information available.
- \*12.4 Mobility in soil No further relevant information available.
- \* 12.5 Results of PBT and vPvB assessment
- \* PBT: Not applicable.
- \* vPvB: Not applicable.
- \* 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- \* 12.7 Other adverse effects
- \* Additional ecological information:
- \* General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

## **SECTION 13: Disposal considerations**

#### \* 13.1 Waste treatment methods

\* Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### \* European waste catalogue

The EC waste catalog number (EAC) can only be determined after the type of use by the end-user is known for this product.

- \* Uncleaned packaging:
- \* Recommendation: Disposal must be made according to official regulations.
- \* **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

(Contd. on page 9)

EL



PROFESSIONAL Safety data sheet ACCORDING to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024

Version number 1

Revision: 23.02.2024

Trade name: Oxy Wash Liquid

**HYGIENE** 

	(Contd. of page 8)
SECTION 14: Transport information	
* 14.1 UN number or ID number * ADR/RID/ADN, IMDG, IATA	UN2014
* 14.2 UN proper shipping name * ADR/RID/ADN	2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION
* IMDG, IATA	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
* 14.3 Transport hazard class(es)	
* ADR/RID/ADN	
* Class	5.1 Oxidising substances.
* Label * ADN/R Class:	8+5.1 5.1 Oxidising substances.
* IMDG	
* Class * Label	5.1 Oxidising substances. 8/5.1
* IATA	
* Class * Label	5.1 Oxidising substances. 8 (5.1)
* 14.4 Packing group * ADR/RID/ADN, IMDG, IATA	П
* 14.5 Environmental hazards:	Not applicable.
<ul> <li>* 14.6 Special precautions for user</li> <li>* Hazard identification number (Kemler code):</li> <li>* EMS Number:</li> <li>* Segregation groups</li> <li>* Stowage Category</li> <li>* Stowage Code</li> <li>* Segregation Code</li> </ul>	Warning: Oxidising substances. 58 F-H,S-Q (SGG16) Peroxides D SW1 Protected from sources of heat. SG16 Stow "separated from" class 4.1 SG59 Stow "separated from" SGG14-permanganates SG72 See 7.2.6.3.2.
	(Contd. on page 10)

PROFESSIONAL HYGIENE

Printing date 23.02.2024

AL Safety data sheet according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Version number 1

Revision: 23.02.2024

## Trade name: Oxy Wash Liquid

	(Contd. of page 9)
* 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
* Transport/Additional information:	
* ADR/RID/ADN * Limited quantities (LQ) * Excepted quantities (EQ) * Transport category * Tunnel restriction code	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E
* UN "Model Regulation":	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 8 (5.1), II

# **SECTION 15: Regulatory information**

\* 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

\* Directive 2012/18/EU

\* Named dangerous substances - ANNEX I None of the ingredients is listed.

\* REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

\* DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

\* REGULATION (EU) 2019/1148

\* Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

7722-84-1 HYDROGEN PEROXIDE

Limit value: >12-≤35 % 30-50%

\* Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

\* Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

\* Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

\* Regulation (EC) No 648/2004 on detergents / Labelling for contents

oxygen-based bleaching agents

≥30%

\* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is exclusively meant for industrial/professional use.

(Contd. on page 11)

FU

DRD PROFESSIONAL HYGIENE ACCO

Printing date 23.02.2024

Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Version number 1

Revision: 23.02.2024

## Trade name: Oxy Wash Liquid

(Contd. of page 10) \* Relevant phrases H271 May cause fire or explosion; strong oxidiser. H272 May intensify fire; oxidiser. H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. \* Department issuing SDS: Product safety department. \* Date of previous version: 23.02.2024 \* Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 1: Oxidizing liquids - Category 1 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \* Sources The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No.1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. \*\* Data compared to the previous version altered.