

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- \* 1.1 Product identifier
- \* Trade name: Quadri Micro Fast 9914B (Open Circuit)
- \* **UFI:** 0C01-H056-J00J-4EYN
- \*1.2 Relevant identified uses of the substance or mixture and uses advised against Disinfectant
- \* Sector of Use Restricted to professional users.
- \* Application of the substance / the mixture Disinfectant
- \* 1.3 Details of the supplier of the safety data sheet
- \* Manufacturer/Supplier:

DRD by

Wayenborgstraat 16 2800 Mechelen - België

Tel: +32 16 53 07 96 - Fax: +32 16 53 61 47

info@drd.be - www.drd.be

\* Further information obtainable from: + 32 16 53 07 96

\*1.4 Emergency telephone number:

National Poison Centre

België (Belgique) Centre Antipoisons-Antigifcentrum 070 245 245

Česká Republika (Czech Republic) Toxikologické informační středisko 0 22 49 192 93

Danmark (Denmark) Poison Information Center 0 82 12 12 12

Deutschland (Germany) Clinical Toxicology and Berlin Poison Information Centre 0 30 192 40

España (Spain) Servicio de Información Toxicológica 091 562 04 20

France Centre antipoison et de toxicovigilance de Paris 01 40 05 48 48

Ireland Poisons Information Centre of Ireland 01 809 2166

Italia (Italy) Centro Antiveleni Rome 06 499 70 698

Lietuvia (Lithuania) Environmental Protection Agency 370 70662008

Luxembourg Centre Antipoison 8002 5500

Magyarország (Hungary) Health Toxicological Information Service 080 20 11 99

Nederland Nationaal Vergiften Informatie Centrum 088 755 8000 (Uitsluitend bestemd om professionele

hulpverleners te informeren bij acute vergiftigingen)

Norge (Norway) Department for Poisons Information 022 59 13 00

Österreich (Austria) Vergiftungsinformationszentrale 01 406 43 43

Polska (Poland) Centrum Toksykologii 022 619 66 54

Portugal Centro de Informação Antivenenos 800 250 250

România (Romania) Spitalul de Urgenta Floreasca 021 230 8000

Slovenská republika (Slovakia) National Toxicological Information Center 02 54 774 166

Schweiz (Swiss) Toxicological Information Centre 0 44 251 51 51

Sverige (Sweden) Giftinformationscentralen (Swedish Poisons Information Centre) 08 33 12 31

Suomi (Finland) Nødnummer Myrkytystietokeskus 09-471977

United Kingdom National Poison Centre – Poison Information Service 111

## **SECTION 2: Hazards identification**

- \*2.1 Classification of the substance or mixture
- \* Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Aguatic Chronic 2 H411 Toxic to aguatic life with long lasting effects.

(Contd. on page 2)



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

#### Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 1)

- \* 2.2 Label elements
- \* Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### \* Hazard pictograms





GHS05 GHS09

#### \* Signal word Danger

## \* Hazard-determining components of labelling:

DIDECYLDIMONIUM CHLORIDE

#### \* Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

## \* Precautionary statements

P273 Avoid release to the environment.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### \* Additional information:

Contains biocidal products: DIDECYLDIMONIUM CHLORIDE

- \*2.3 Other hazards
- \* Results of PBT and vPvB assessment
- \* **PBT:** Not applicable. \* **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredient	<b>SECTION 3:</b>	Compositio	n/informati	on on ingr	edients
--	-------------------	------------	-------------	------------	---------

- \* 3.2 Mixtures
- \* **Description:** Mixture of substances listed below with nonhazardous additions.

* Dangerous components	S	:
------------------------	---	---

Dangerous components.		
CAS: 7173-51-5	DIDECYLDIMONIUM CHLORIDE	1-5%
EINECS: 230-525-2	Acute Tox. 3, H301; Skin Corr. 1B, H314; Aquatic Chronic 1,	
Index number: 612-131-00-		
Reg.nr.: 01-2119945987-15		
CAS: 67-63-0	ISOPROPYL ALCOHOL	1-5%
EINECS: 200-661-7	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	
Index number: 603-117-00-		
Reg.nr.: 01-2119457558-25		

(Contd. on page 3)



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 2)

#### \* Additional information:

For the wording of the listed risk phrases refer to section 16. Product compositional ranges are shown for health, safety and environmental use and are not intended to form any part of a specification.

- [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.
- [2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.
- [3] Exempted: Annex V of Regulation (EC) No 1907/2006.
- [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

#### **SECTION 4: First aid measures**

- \*4.1 Description of first aid measures
- \* General information: Immediately remove any clothing soiled by the product.
- \* After inhalation: Supply fresh air; consult doctor in case of complaints.
- \* After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- \* After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- \* After swallowing: Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- \* 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

\* 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- \*5.1 Extinguishing media
- \* Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- \* 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- \* 5.3 Advice for firefighters
- \* Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

## \*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

\* 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

\* 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

(Contd. on page 4)



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

#### Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 3)

Dispose contaminated material as waste according to section 13.

## \*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- \*7.1 Precautions for safe handling When diluting always pour product into water and not vice versa.
- \* Information about fire and explosion protection: No special measures required.
- \*7.2 Conditions for safe storage, including any incompatibilities
- \* Storage:
- \* Requirements to be met by storerooms and receptacles: No special requirements.
- \* Information about storage in one common storage facility: Not required.
- \* Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- \* Storage class: 12
- \*7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- \*8.1 Control parameters
- \* Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### \* PNECs

## 7173-51-5 DIDECYLDIMONIUM CHLORIDE

Freshwater 2 µg/l
Marinewater 0.2 µg/l
Intermittent releases 0.29 µg/l
Sewage treatment plant
Sediment (freshwater) 2.82 mg/kg dw
Soil 0.28 mg/kg dw
1.4 mg/kg dw

- \* Additional information: The lists valid during the making were used as basis.
- \*8.2 Exposure controls
- \* Appropriate engineering controls No further data; see section 7.
- \* Individual protection measures, such as personal protective equipment
- \* General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

\* **Respiratory protection:** Not necessary if room is well-ventilated.

(Contd. on page 5)



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Revision: 23.02.2024 Printing date 23.02.2024 Version number 1

Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 4)

## \* Hand protection



Preventive skin protection by use of gloves is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

## Material of gloves



The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Suitability (penetration time, material thickness) for a specific workplace

should be discussed with the manufacturer of the protective gloves.

#### \* Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

\* For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber: Penetration time >480 min - Recommended thickness: 0,4 mm

\* For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber. Penetration time 30 min - Recommended thickness: 0,13 mm

\* As protection from splashes gloves made of the following materials are suitable:

PVC (EN374)

Nitrile rubber: 0.11 mm (EN374)

\* Eye/face protection



Safetyglasses

## **SECTION 9: Physical and chemical properties**

- \*9.1 Information on basic physical and chemical properties
- \* General Information

\* Physical state Fluid \* Colour: Colourless \* Odour: Characteristic \* Odour threshold: Not determined. \* Melting point/freezing point: Undetermined.

\* Boiling point or initial boiling point and boiling

100 °C range

\* Flammability Not applicable.

\* Lower and upper explosion limit

\* Lower: Not determined. \* Upper: Not determined.

\* Flash point (CCMP): Not applicable.

(Contd. on page 6)



PROFESSIONAL Safety data sheet
HYGIENE according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

Trade name: Quadri Micro Fast 9914B (Open Circuit)

	(Contd. of page 5)
* Auto-ignition temperature:	41 °C
* Decomposition temperature:	Not determined.
* pH at 20 °C	8.5
*Viscosity:	
* Kinematic viscosity	Not determined.
* Dynamic at 20 °C:	10 mPas
* Solubility	
* water:	Fully miscible.
* Partition coefficient n-octanol/water (log value)	Not determined.
* Vapour pressure at 20 °C:	23 hPa
* Density and/or relative density	
* Density at 20 °C:	1 g/cm <sup>3</sup>
* Relative density	Not determined.
* Vapour density	Not determined.
* 9.2 Other information	Product compositional ranges are shown for health,
	safety and environmental use and are not intended to
	form any part of a specification.
* Appearance:	
*Form:	Liquid
*Important information on protection of health and	
environment, and on safety.	D 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
* Ignition temperature:	Product is not selfigniting.
* Explosive properties:	Product does not present an explosion hazard.
* Change in condition * Evaporation rate	Not determined.
<u> </u>	Not determined.
*Information with regard to physical hazard	
classes	Maid
* Explosives * Flammable gases	Void Void
* Aerosols	Void
*Oxidising gases	Void
* Gases under pressure	Void
* Flammable liquids	Void
* Flammable solids	Void
* Self-reactive substances and mixtures	Void
* Pyrophoric liquids	Void
* Pyrophoric solids	Void
* Self-heating substances and mixtures	Void
*Substances and mixtures, which emit flammable	
gases in contact with water	Void
*Oxidising liquids	Void
*Oxidising solids	Void
* Organic peroxides	Void
* Corrosive to metals	Void
* Desensitised explosives	Void



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 6)

# **SECTION 10: Stability and reactivity**

- \* 10.1 Reactivity No further relevant information available.
- \* 10.2 Chemical stability
- \*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \* 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \* 10.4 Conditions to avoid No further relevant information available.
- \* 10.5 Incompatible materials: No further relevant information available.
- \* 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- \*11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \* Acute toxicity Based on available data, the classification criteria are not met.
- \*LD/LC50 values relevant for classification:

#### 7173-51-5 DIDECYLDIMONIUM CHLORIDE

	_	
Oral	LD50	238 mg/kg bw (Rat)
Dermal	LD50	3,342 mg/kg bw (rabbit)
Irritation of skin	Huidirritatie	(rabbit) (1h)

- \* Skin corrosion/irritation Causes skin irritation.
- \* Serious eye damage/irritation Causes serious eye damage.
- \* Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- \* Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \* Carcinogenicity Based on available data, the classification criteria are not met.
- \* Reproductive toxicity Based on available data, the classification criteria are not met.
- \* STOT-single exposure Based on available data, the classification criteria are not met.
- \* STOT-repeated exposure Based on available data, the classification criteria are not met.
- \* Aspiration hazard Based on available data, the classification criteria are not met.
- \* 11.2 Information on other hazards
- \* Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

- \* 12.1 Toxicity
- \* Aquatic toxicity:

# 7173-51-5 DIDECYLDIMONIUM CHLORIDE

NOEC/34d 0.032 mg/l (Danio Rerio) (OECD 210)

NOEC/22d 0.01 mg/l (Daphnia Magna) (OECD 211 Daphnia magna Reproduction Test)

EC50/48h 0.062 mg/l (Daphnia Magna) (US-EPA-FIFRA) LC50/96h 0.19 mg/l (Pimephales Promelas) (US-EPA)

### \* 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 8)



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

#### Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 7)

- \* 12.3 Bioaccumulative potential No further relevant information available.
- \* 12.4 Mobility in soil No further relevant information available.
- \* 12.5 Results of PBT and vPvB assessment
- \* PBT: Not applicable.
- \* vPvB: Not applicable.
- \* 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- \* 12.7 Other adverse effects
- \* Remark: Toxic for fish
- \* Additional ecological information:
- \* General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

## **SECTION 13: Disposal considerations**

- \* 13.1 Waste treatment methods
- \* Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

\* European waste catalogue

The EC waste catalog number (EAC) can only be determined after the type of use by the end-user is known for this product.

- \* Uncleaned packaging:
- \* **Recommendation:** Disposal must be made according to official regulations.
- \* Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
* 14.1 UN number or ID number * ADR/RID/ADN, IMDG, IATA	UN3082
* 14.2 UN proper shipping name * ADR/RID/ADN	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIDECYLDIMONIUM CHLORIDE)
* IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIDECYLDIMONIUM CHLORIDE), MARINE POLLUTANT
*IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIDECYLDIMONIUM CHLORIDE)
	(Contd. on page 9



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 8)

\* 14.3 Transport hazard class(es)

\* ADR/RID/ADN, IMDG, IATA



\* Class 9 Miscellaneous dangerous substances and articles.

\* Label

\* ADN/R Class: 9 Miscellaneous dangerous substances and articles.

\* 14.4 Packing group

\* ADR/RID/ADN, IMDG, IATA |||

\* 14.5 Environmental hazards:

\* Marine pollutant: Symbol (fish and tree)

\* Special marking (ADR/RID/ADN): Symbol (fish and tree)

\* Special marking (IATA): Symbol (fish and tree)

\* 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and

articles.

\* Hazard identification number (Kemler code): 90

\* EMS Number: F-A,S-F

\* Stowage Category A

\*14.7 Maritime transport in bulk according to IMO

**instruments** Not applicable.

\* Transport/Additional information:

\* ADR/RID/ADN

\* Limited quantities (LQ) 5L
\* Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

\* Transport category 3
\* Tunnel restriction code E

\* Remarks: Special Provision 375 (ADR Chapter 3.3): Where this

substance is carried in single or combination packaging with a greatest net quantity per single or inner packaging of 5 litres or less for liquids or with a net

packaging of 5 litres or less for liquids or with a net mass per single or inner packaging of 5 kg or less for solids, this substance is not subject to the other provisions of the ADR provided the packaging complies

with the general provisions of 4.1.1.1, 4.1.1.2 and

4.1.1.4 to 4.1.1.8s

\* UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (DIDECYLDIMONIUM

CHLORIDE), 9, III



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 9)

# **SECTION 15: Regulatory information**

- \* 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- \* Directive 2012/18/EU
- \* Named dangerous substances ANNEX I None of the ingredients is listed.
- \* Seveso category E2 Hazardous to the Aquatic Environment
- \* Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- \* Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- \* REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- \* Regulation (EU) No 649/2012

7173-51-5 DIDECYLDIMONIUM CHLORIDE

Annex I Part 1

\* DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- \* REGULATION (EU) 2019/1148
- \* Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

\* Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

\* Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

\* Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

\* Regulation (EC) No 648/2004 on detergents / Labelling for contents

disinfectants

\* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is exclusively meant for industrial/professional use.

## \* Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

- \* **Department issuing SDS:** Product safety department.
- \* Date of previous version: 23.02.2024
- \* Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 11)

<5%



according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 23.02.2024 Version number 1 Revision: 23.02.2024

## Trade name: Quadri Micro Fast 9914B (Open Circuit)

(Contd. of page 10)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

#### \* Sources

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No.1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet.

\*\* Data compared to the previous version altered.

EIJ-